EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(@ad<"20040130" @rlad<"20040130") and Matsushita panasonic assignee	US- PGPUB; USPAT	OR	OFF	2008/12/26 08:02
E6	O	(@ad<"20040130") and (((virtual interface tunnel \$5 endpoint target destination caller callee node) adj2 (address id identifier)) near5 (resol\$5 conflict\$5 reused re-usable identical equal duplicat\$5 overlap match\$5 (in adj use) existing already (more adj one) 'one-to-many' simultaneous\$5 negotiat\$5 algorithm availab\$5)) and (((virtual interface tunnel \$5 endpoint target destination caller callee node) adj2 (address id identifier)) near5 (tunnel encapsulat\$5)) and (((virtual interface tunnel \$5 endpoint target destination caller callee node) adj2 (address id identifier)) near3 (modif \$5 endpoint target destination caller callee node) adj2 (address id identifier)) near3 (modif \$5 chang\$5 updat\$5 add\$5 append\$5 switch alter\$5 lookup)) and ((session connection call tunnel sequence) adj2 (id GUID identifier key label tag number)) and 709/245. ccls. not L4	PGPUB;	OR	OFF	2009/01/07

S5	22	(@ad<"20040130" @rlad<"20040130") and ((DHCP autoip auto-ip) and tunnel) and (((virtual interface tunnel\$5) near9 address) same (resol\$5 conflict\$5 reused re- usable)) and (((virtual interface tunnel\$5) near9 address) same ((device caller callee target destination source origin) adj2 (id identifier MAC)))	US- PGPUB; USPAT	OR	OFF	2008/12/26 08:51
99	О	(@ad<"20040130") and ((DHCP autoip auto-ip) and tunnel) and (((virtual interface tunnel\$5) near9 address) same (resol\$5 conflict\$5 reused reusable)) and (((virtual interface tunnel\$5) near9 address) same ((device caller callee target destination source origin endpoint) adj2 (id identifier MAC))) and ((without exclud\$5 omit\$5 eliminat\$5 dismiss\$ obviat\$5 avoid\$5 necessary requir\$5) near3 (DHCP autoip auto-ip)) not \$5	PGPUB; USPAT	OR	OFF	2008/12/26 09:03
S12	1	(@ad<"20040130" @rlad<"20040130") and ((DHCP autoip auto-ip) and tunnel) and ((virtual interface tunnel\$5) near9 address) same (resol\$5 conflict\$5 reused re-usable assign\$5 compar\$5)) and ((virtual interface tunnel \$5) near9 address) same ((device caller callee target destination source origin endpoint NIC) adj2 (id identifier MAC))) and ((without exclud\$5 omit\$5 eliminat\$5 dismiss\$ obviat \$5 avoid\$5 necessary requir \$5 unlike unlimited) near3 (DHCP autoip auto-ip)) not S5	US- PGPUB; USPAT	OR	OFF	2008/12/26 09:19

\$ 22	379	(@ad<"20040130" @rlad<"20040130") and (((virtual interface tunnel \$5) adj2 (address id identifier)) same (resol\$5 conflict\$5 reused re-usable assign\$5 compar\$5)) and (((virtual interface tunnel \$5) near9 (address id identifier)) same ((device caller callee target destination source origin endpoint NIC) adj2 (id identifier MAC))) not (S16 S17 S18 S19 S21)	US- PGPUB; USPAT	OR	OFF	2008/12/26 11:00
S23	2	S22 and ((without exclud\$5 omit\$5 eliminat\$5 dismiss\$ obviat\$5 avoid\$5 necessary requir\$5) near3 (DHCP autoip auto-ip))	US- PGPUB; USPAT	OR	OFF	2008/12/26 11:01
S25	69	(@ad<"20040130" and (((virtual interface tunnel \$5) adj2 (address id identifier)) same (resol\$5 conflict\$5 reused re-usable assign\$5 acqui\$5 inquir\$5 get given determin\$5 ask\$5 query\$5 obtain\$5 compar\$5 match\$5)) and ((virtual interface tunnel\$5) near9 (address id identifier)) same ((device caller callee target destination source origin endpoint NIC) adj2 (id identifier MAC))) and ((without exclud\$5 omit\$5 eliminat\$5 dismiss\$ obviat \$5 avoid\$5 necessary requir \$5) near3 (dynamic DHCP autoip auto-ip)) not (S16 S17 S18 S19 S21)	PGPUB; USPAT	OR	OFF	2008/12/26 11:22
S29	2415	(@ad<"20040130" @rlad<"20040130") and (((virtual interface tunnel \$5) adj2 (address id identifier)) near4 (new exist\$5 resol\$5 conflict\$5 reused re-usable compar\$5 match\$5))	US- PGPUB; USPAT	OR	OFF	2008/12/26 14:18

S36	69	(@ad<"20040130" @rlad<"20040130") and (((virtual interface tunnel \$5) adj2 (address id identifier)) same (resol\$5 conflict\$5 reused re-usable assign\$5 acqui\$5 inquir\$5 get given determin\$5 ask\$5 query\$5 obtain\$5 compar\$5 match\$5)) and ((virtual interface tunnel\$5) near9 (address id identifier)) same ((device caller callee target destination source origin endpoint NIC) adj2 (id identifier MAC))) and ((without exclud\$5 omit\$5 eliminat\$5 dismiss\$ obviat \$5 avoid\$5 necessary requir \$5) near3 (dynamic DHCP autoip auto-ip)) not (S30 S31 S32 S33 S35)	US- PGPUB; USPAT	OR	OFF	2008/12/26 14:19
S37	2	S29 and S36	US- PGPUB; USPAT	OR	OFF	2008/12/26 14:19
S49	730	(@ad<"20040130" @rlad<"20040130") and (((virtual interface tunnel \$5) adj2 (address id identifier)) same (resol\$5 conflict\$5 reused re-usable assign\$5 acqui\$5 inquir\$5 get given determin\$5 ask\$5 query\$5 obtain\$5 compar\$5 match\$5 "in use" existing)) and (((virtual interface tunnel\$5) near9 (address id identifier)) same ((device caller callee target destination source origin endpoint NIC) adj2 (id identifier MAC))) not (S40 S41 S42 S43 S45 S46)	US- PGPUB; USPAT	OR	OFF	2009/01/03

S59	805	(@ad<"20040130" @rlad<"20040130") and (((virtual interface tunnel \$5) adj2 (address id identifier)) same (construct\$5 generat\$5 provid\$5 resol\$5 conflict\$5 reused re-usable assign\$5 acqui\$5 inquir\$5 get given determin\$5 ask\$5 query\$5 obtain\$5 compar\$5 match \$5 "in use" existing)) and (((virtual interface tunnel \$5) near9 (address id identifier)) same ((device caller callee target destination source origin endpoint NIC) adj2 (id identifier MAC))) not (S52 S53 S54 S55 S57 S58)	US- PGPUB; USPAT	OR	OFF	2009/01/04 08:58
S65	817	(@ad<"20040130" @rlad<"20040130") and (((virtual interface tunnel \$5) adj2 (address id identifier)) same (construct\$5 generat\$5 provid\$5 resol\$5 conflict\$5 reused re-usable assign\$5 acqui\$5 inquir\$5 get given determin\$5 ask\$5 query\$5 obtain\$5 compar\$5 match \$5 "in use" existing already "more than one" "one-to- many" simultaneous\$5)) and (((virtual interface tunnel\$5) near9 (address id identifier)) same ((device caller callee target destination source origin endpoint NIC) adj2 (id identifier MAC))) not (S52 S53 S54 S55 S57 S58)	US- PGPUB; USPAT	OR	OFF	2009/01/04

transmission communication RF radio protocol paper printout printed optical fiber \$3) near9 (medium means media stor\$5 memory communication recording)) (software mental\$5 architecture program instruction java applet servlet plugin plug-in widget ((machine computer process \$4 cpu human server application API markup means component device apparatus system embodiment implement\$5 section) near9 (code language module logic algorithm)))) S80 1515 (@ad<"20040130" @rlad<"20040130") and (((virtual interface tunnel \$5 endpoint target destination caller callee node) adj2 (address id identifier)) same (resol\$5 conflict\$5 reused re-usable match\$5 "in use" existing already "more than one" "one-to-many" simultaneous \$5)) and (((virtual interface tunnel\$5 endpoint target destination caller			
@rlad<"20040130") and PGPUB; (((virtual interface tunnel USPAT \$5 endpoint target destination caller callee node) adj2 (address id identifier)) same (resol\$5 conflict\$5 reused re-usable match\$5 "in use" existing already "more than one" "one-to-many" simultaneous \$5)) and (((virtual interface tunnel\$5 endpoint			
callee node) adj2 (address id identifier)) same (tunnel encapsulat\$5)) and ((virtual interface tunnel\$5 endpoint target destination caller callee node) adj2 (address id identifier)) near3 (modif \$5 chang\$5 updat\$5 add\$5 append\$5 switch alter\$5 lookup))	OR	2 : 2	2009/01/06 09:52

S84	172	S80 and (((virtual interface	US-	OR	OFF	2009/01/06
		tunnel\$5 endpoint target	PGPUB;			10:34
		destination caller callee	USPAT			
		node) adj2 (address id				
		identifier)) near3 (modif				
		\$5 chang\$5)) not (S82				
		S83)				

1/7/2009 12:01:47 PM

C:\ Documents and Settings\ gbengzon\ My Documents\ EAST\ Workspaces\ GCB 10597496 Reusable tunnel address.wsp